

# INSPECTION & WORK LIGHTS



LUCECO  
LIGHTING



TRADE



MOTORING



OUTDOORS



DIY

## Inspection & Work Lights

Luceco's comprehensive range of LED Inspection & Work Lights provide durable, high-output portable lighting for trades, DIY, motoring, sports and leisure.

If you want additional temporary and portable lighting options ... from mains powered tripods and work lights, to rechargeable torches, clamps and magnetic options, our Inspection and Work Light Range has something for everyone.



5W USB Rechargeable Tilt Torch with Power Bank (450 Lumens)  
**04**



5W USB-C Rechargeable Torch with Power Bank (500 Lumens)  
**05**



1.5W USB Rechargeable Mini Tilt Torch (150 Lumens)  
**06**



3W USB Rechargeable Swivel Torch (300 Lumens)  
**07**



3W USB Rechargeable Inspection Head Torch (150 Lumens)  
**08**



5W USB Rechargeable Flexible Torch (350-150 Lumens)  
**08**



30W Foldable Compact Work Light (2400 Lumens)  
**10**



10W USB Rechargeable Multifunctional Cage Work Light (600 Lumens)  
**11**



10W Rechargeable folding clamp work light (1000 Lumens)  
**12**



15W Rechargeable Clamp Work Light (1300 Lumens)  
**13**



66W Herculous Open area High Output Work Light (7150 Lumens)  
**14**



7.5W USB Rechargeable Compact Magnetic Work Light (750 Lumens)  
**16**



10W Rechargeable Magnetic Work Light (1300 Lumens)  
**17**



20,30 & 50W Castra Slimline Work Light (2200, 3300, 5500 Lumens)  
**18**



10W USB-C Rechargeable High Output Torch (1000 Lumens)  
**20**



30 & 50W Castra Tripod Work Light (2x3300, 2x5500 Lumens)  
**22**

**2**  
LIGHT MODES



**4**  
LIGHT MODES



### 5W USB RECHARGEABLE TILT TORCH WITH POWER BANK

- Multi fixing - 360 degree folding hook and tilting magnetic base
- 2 working light modes
- Red flashing beacon
- Durable hard wearing housing
- Inbuilt 2000mAh USB powerbank for charging devices
- Supplied with USB charging cable



Cat No.	Lumens	Battery Life	Battery Charge Time
LILT45T65	450	2hr (On Max)	Up to 3.5 hours charging

Dimensions: 77mm x 320mm

### 5W SLIM RECHARGEABLE TORCH WITH POWER BANK

- Single source light source prevents multi shadowing – ideal for professionals
- Inbuilt USB Power bank
- 4 light output modes including UV light
- 180° rotating, 360° swivelling light body for multi-angle illumination, fold-able for easy storage
- Strong magnetic base and retractable metal hanging hook
- Supplied with USB-C charging cable
- IK07 impact rating
- 500lm, 250lm and 30lm light output modes



Cat No.	Lumens	Battery Life	Battery Charge Time
LILT50TT65	500	1.5 - 9hr	Up to 2.5 hours charging

Dimensions: 36mm x 300mm


## 1.5W USB RECHARGEABLE MINI TILT TORCH

- IP20 Rating
- 6500K COOL WHITE
- 2Hrs On Max
- USB Charged
- STRONG Magnet
- GREEN FINISH

- Single source light source prevents multi shadowing – ideal for professionals
- USB Rechargeable Tilt Torch
- 2 working light modes
- Durable hard wearing housing
- Multi fixing – 180° tilting magnetic base
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT15T65	150	2hr (On Max)	Up to 2 hours charging

Dimensions: 28mm x 178mm



## 3W USB RECHARGEABLE SWIVEL TORCH WITH POWER BANK

- Single source light source prevents multi shadowing – ideal for professionals
- Inbuilt 2000 mAh USB power bank for charging devices
- 2 working light modes
- Durable hard wearing housing
- Multi fixing – 360° folding hook
- 360° rotate and tilt magnetic base
- Supplied with USB charging cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILT30R65	300	3hr (On Max)	Up to 3.5 hours charging

Dimensions: 58mm x 245mm

- Worker icon
- Car icon
- Tent icon
- Tools icon

- IP20 Rating
- 6500K COOL WHITE
- 2Hrs On Max
- USB Charged
- STRONG Magnet
- POWER BANK

**2**  
LIGHT MODES

- Worker icon
- Tent icon
- Car icon
- Tools icon

### 3W INSPECTION HEAD TORCH WITH MOTION SENSOR

Cat No.	Lumens	Battery Life	Battery Charge Time
LILH15P65	150	3-20 hours	2.5 hours

MOTION SENSOR CONTROL

IP20 Rating

6500K COOL WHITE

USB Charged

GREEN FINISH



4 LIGHT MODES

MOTION SENSOR CONTROL

### FEATURES



### 5W FLEXIBLE TORCH WITH MOTION SENSOR

- Switch or PIR motion sensing on/off function for hands free operation
- Wide light beam angle
- Type-C USB rechargeable – 1200mA battery
- Durable & Lightweight
- 4 Lighting settings
- Working time: 3-6 hours
- Charging time: 3.5 hours

Cat No.	Lumens	Battery Life	Battery Charge Time
LILHF35P65	350+150lm	3-6 hours	3.5 hours



5W LED

6500K COOL WHITE

3Hrs On Max

USB Charged




## 30W FOLDABLE COMPACT WORK LIGHT

WITH 13A POWER SOCKET

- LED work light with foldable stand and cable storage
- IP54 with UK socket
- Material: aluminium body & plastic frame
- Beam angle: 110°
- Separate On/Off socket and light switch
- With 1.5m H05RN-F 3G1.5mm<sup>2</sup> cable and plug

Cat No.	Lumens	Wattage	Lifespan
EFLDS30B50UK	2400	30W	25,000 hours

Dimensions: 205mm x 277mm




## 10W MULTIFUNCTIONAL CAGE WORK LIGHT

RECHARGABLE

- 360° handheld lamp with tripod
- Metal cage protection net around the lamp
- 2 light modes – 600lm work light & 80lm top torch
- Including hook, hidden in tripod leg
- Battery: 3.7V 3000mAh 18650 Li-ion rechargeable battery
- Working time: 7-8 hours for torch light, 2-3 hours for work light
- With USB input 5V 1A max
- Including 60cm USB cable, stored in tripod

Cat No.	Lumens	Battery Life	Battery Charge Time
LILTP60S65	600	2-3 hours	3.5 hours

Dimensions: 90mm x 360mm



**2**  
LIGHT  
MODES



HEAVY DUTY CLAMP WITH RUBBER PROTECTION PADS



360° ROTATION AND 180° VERTICAL ADJUSTMENT

HEAVY DUTY CLAMP WITH RUBBER PROTECTION PADS

**2**  
LIGHT  
MODES



## 10W FOLDING CLAMP WORK LIGHT

RECHARGEABLE

- Stand and carry handle
- Multiple stand positions
- Toughened IK07 ABS constructed body
- 1m USB charge cable
- 4400mAh inbuilt power bank

Cat No.	Lumens	Wattage	Battery Charge Time
LILC10G65-01	1000	10W	6 hours

## 15W CLAMP WORK LIGHT

RECHARGEABLE

- Portable work light with with heavy duty clamp, stand and carry handle
- Robust polycarbonate construction for increased durability
- Supplied with charging adaptor
- 4hr battery duration at full output – 100%, 50%, OFF Power Button
- 2 Mode Weather Proof Power Switch
- 360° Rotation and 180° Vertical Adjustment

Cat No.	Lumens	Battery Life	Battery Charge Time
LCWR13G60	1300	4hrs at max	5 hours

Dimensions: 189mm x 304mm



**2**  
LIGHT  
MODES



**66W HERCULOUS OPEN AREA HIGH OUTPUT WORK LIGHT**  
WITH 13A POWER SOCKET

- 2 working light modes
- USB-A and USB-C socket entry
- UK Socket input for on-site power extension
- Storable 3m HO7RN-F 3C 1.5mm cable with UK plug
- Easy grip carry handle and hanging hook

Cat No.	Lumens	Wattage	Battery Charge Time
LWHA070G65UK	7150	66W	20,000 hours

Dimensions: 200mm x 277mm






## 10W FOLDING MAGNETIC WORK LIGHT

RECHARGEABLE

- Portable work light with magnetic function, stand and carry handle
- Robust polycarbonate construction for increased durability
- Supplied with charging adaptor
- 3hr battery duration at full output
- Variable light output and flashing mode
- 180° Vertical Adjustment

Cat No.	Lumens	Wattage	Battery Charge Time
LILM13G65-01	1300	10	5-6



## 7.5W COMPACT MAGNETIC USB WORK LIGHT

RECHARGEABLE

- Compact design with stand/carry handle, hook and magnetic function
- USB charging port and charging indicator
- High and low power modes
- 2 mode Weatherproof power switch
- Toughened IK07 ABS constructed body with rubber trim for added protection

Cat No.	Lumens	Battery Life	Battery Charge Time
LWR7G65	750	3/10 hours	3 hours

Dimensions: 116mm x 130mm



**SUPER EFFICIENT**  
110LM/W PERFORMANCE



COMFORTABLE CARRY GRIP HANDLE

TEMPERED FROSTED GLASS - HIGH STRENGTH, LOW GLARE

180°

WEATHERPROOF POWER SWITCH

NON SLIP

## 20, 30 & 50W CASTRA SLIMLINE WORK LIGHT

IP65 WEATHER PROOF

- Comfortable carry grip handle
- Corrosion resistance die cast aluminium housing
- 2m of H05RN-F rubber cable
- Tempered frosted glass - high strength, low glare
- Sturdy steel stand



Cat No.	Lumens	Wattage	Lifespan
LSW20G250	2200	20W	30,000 hours
LSW30G250	3300	30W	30,000 hours
LSW50G250	5500	50W	30,000 hours

**LSW20G250**  
Dimensions: 176mm x 211mm

**LSW30G250**  
Dimensions: 193mm x 222mm

**LSW50G250**  
Dimensions: 230mm x 268mm



180°

**2**  
LIGHT  
MODES



**IP20**  
Rating

**6500K**  
COOL  
WHITE

**2.5Hrs**  
On Max

**STRONG**  
Magnet

**10W**

**USB**  
Charged


## 10W USB C RECHARGEABLE HIGH OUTPUT INSPECTION TORCH

INSPECTION TORCH

- Multi fixing – 360 degree folding hook and tilting magnetic base
- 2 working light modes and red flashing beacon
- Durable hard wearing housing
- Supplied with USB-C cable

Cat No.	Lumens	Battery Life	Battery Charge Time
LILW100U6SUC	1000	2.5 hrs on max	Up to 5 hours charging

Dimensions: 50mm x 500mm



## 30,50W CASTRA TRIPOD WORK LIGHT

WEATHERPROOF

- LED portable tripod work light
- IP65 weather proof
- Corrosion resistance die cast aluminium housing
- Tempered frosted glass - high strength, low glare

Cat No.	Lumens	Wattage	Lifespan
LSWT230G350	2x3300	2x30W	30,000
LSWT250G350	2x5500	2x50W	30,000

Dimensions: 1080mm x 1710mm

**SUPER EFFICIENT**  
110LM/W  
PERFORMANCE



5000K  
NEUTRAL  
WHITE



# LIGHT & POWER

## LED Worklight Extension Reel

**! NOW AVAILABLE**  
FROM YOUR LOCAL  
ELECTRICAL WHOLESALER

Light up your workspace with our PRO-XT LED Extension Reel; providing both light and power for heavy duty applications with a 5W 550lm LED light. The 4 power sockets with switch give you power control where you are working. The LED reel is fitted with 5m of cable with a handy store. You will never have insufficient light or power again.



For more information contact Sales on:  
Tel: 01952 238 100 Email: sales@bgelectrical.co.uk Web: www.bgelectrical.co.uk  
BG Electrical Ltd. Stafford Park 1, Telford, Shropshire TF3 3BD.



BG is a registered trademark and member of the Luceco plc group of companies.

www.masterplug.com

# LUCECO

L I G H T I N G

## UK

### HEAD OFFICE

Email: [info@luceco.com](mailto:info@luceco.com)  
Luceco plc, Caparo House,  
103 Baker Street, London  
England, W1U6LN

### DISTRIBUTION CENTRE:

Tel: +44 (0) 1952 238 100  
Email: [uk\\_sales@luceco.com](mailto:uk_sales@luceco.com)  
Luceco plc  
Luceco Distribution Centre  
Stafford Park 1, Telford  
Shropshire, England, TF3 3BD

### ITALY:

Tel: +39 0434 1696795  
Email: [it\\_sales@luceco.com](mailto:it_sales@luceco.com)  
Luceco Southern Europe,  
S.L. Via Amman 10  
33170 Pordenone, Italy

### SPAIN:

Tel: +34 93 829 55 75  
Email: [es\\_sales@luceco.com](mailto:es_sales@luceco.com)  
Luceco Southern Europe,  
S.L. C/ Bobinadora 1 Local 7  
08302 Mataró  
Barcelona (SPAIN)

### MIDDLE EAST:

Tel: +971 4 609 1867  
Email: [mea\\_sales@luceco.com](mailto:mea_sales@luceco.com)  
Luceco Middle East FZCO  
Bldg. 5EB, Office 342  
PO Box 371128, DAFZA  
Dubai, UAE

## ASIA PACIFIC

### JIAXING:

Tel: +86 (0) 573 8357 0200  
Email: [asia\\_sales@luceco.com](mailto:asia_sales@luceco.com)  
No 1438, Jiachuang Road  
Xiuzhou Industrial Park, Jiaxing  
Zhejiang, China, P.C. 314031

### MEXICO & LATIN AMERICA:

Tel: + 52 (81) 4737 0765  
Email: [ventas@luceco.com](mailto:ventas@luceco.com)  
Luceco México  
Av. Lázaro Cardenas #318 int 201, Col Real  
San Agustín, San Pedro Garza García  
N.L. México CP 66278  
(Torre MX, Piso #2, Oficina 201)

### TECHNICAL SUPPORT:

Tel: 0330 0249 279  
Email: [technical@luceco.com](mailto:technical@luceco.com)  
Lines open Monday to Friday  
8.30am to 5pm, with answer  
phone service outside  
these hours.

LUCECO  
G R O U P

