


LED BATTEN SOLAR MULTIFUNCTION

Product Features

- Lamp can be used with or without solar panel
- Indoor/Semi-indoor use as a wall light/hanging light
- Use as power bank
- Four work modes are optional for wide applications/weathers
- Connection cable of 3m. long, flexible to use
- PIR twilight sensor



CAT NO.	LUMINAIRE LUMENS	WATTAGE	EFFICACY (Ll/W)	BEAM ANGLE	BATTERY CAPACITY	CHARGING TIME
LEXS95W65-01	950	10W	95	120°	2000mAh	8 hrs



STANDARD	DESCRIPTION
EN 60598-1	Luminaires – General requirements
EN 60598-2-2	Luminaires – Recessed
EN 61000-3-2	Electromagnetic compatibility (EMC) – Part 3-2: Limits – for harmonic current emissions
EN 55015	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN 61547	Equipment for general lighting purposes – EMC immunity requirements
EN 61347-1	Lamp controlgear - Part 1: General and safety requirements
EN 61347-2-13	Lamp controlgear - Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules
EN 62471	Photobiological safety of lamps and lamp systems
2002/96/EC	Waste Electrical & Electronic Equipment (WEEE)
2011/65/EU	Restriction of the use of certain Hazardous Substances in EEE (RoHS)
(EC) No 1907/2006	The Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

